# Gutter

ANSI/SPRI GD-1 CERTIFIED:

| .040" Aluminum | 24GA Steel |
|---|---|
| G-1 Horizontal = 210 psf | G-1 Horizontal = 200 psf |
| G-2 Vertical = 90 psf | G-2 Vertical = 90 psf |
| G-3 Static = 290 psf | G-3 Static = 280 psf |




- Gutter Bracket and fasteners provided.
- Term Bar and fasteners NOT provided.

## PRINT APPROVAL:

Architect and/or Contractor shall verify all dimensions, sizes, and quantities, All products to be installed in strict accordance with Drexel's printed instructions.

Approved By: _____

Date: _____

## QUANTITIES:

Lineal Feet (10'-0" Lengths*): _____

Outside Miters**: _____ ☐ Optional Welded (Surcharge Applies)

Inside Miters**: _____ ☐ Optional Welded (Surcharge Applies)

Right End Caps**: _____ ☐ Optional Welded (Surcharge Applies)

Left End Caps**: _____ ☐ Optional Welded (Surcharge Applies)

* Optional lengths available up to 20'-0"

** Standard riveted

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE:

## MATERIAL:

☐ 24GA ☐ .040" AL

☐ Other: _____

Finish: _____

Color: _____

| | |
|---|---|
| Effective Date: | 5-1-13 |
| Drawn By: | J.S. |
| Approved By: | B.P. |


DrexelMetals
Roofing Systems + Custom Fabrication

P: (888) 321-9630 , F: (877) 321-9638 , www.drexelmetals.com