


DMC 150NS - PLYWOOD

DMC 150NS PANEL
#10 - 13 x 1" PHW (10.5"o.c.)
METSHIELD UNDERLAYMENT
1/2" PLYWOOD MIN.



EFFECTIVE DATE: 02-22-13
SUBJECT TO CHANGE WITHOUT NOTICE


INSTALLATION DETAIL

SCALE: 6" = 1'-0"

DrexelMetals
Roofing Systems + Custom Fabrication



DMC 150NS - PLYWOOD




BOX GUTTER - w/RETURN w/FLUSH PANEL

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

SCALE: 3" = 1'-0"

DMC 150NS - PLYWOOD




BOX GUTTER - w/RETURN w/SOFFIT

EFFECTIVE DATE: 02-15-13
SUBJECT TO CHANGE WITHOUT NOTICE

SCALE: 3" = 1'-0"



DMC 150NS - PLYWOOD




BOX GUTTER w/RETURN w/STANDING SEAM PANEL

SCALE: 3" = 1'-0"


EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE



DMC 150NS - PLYWOOD



ZOOMED IN VIEW




EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

DRIP EDGE PEAK

SCALE: 3" = 1'-0"

DMC 150NS - PLYWOOD




DRIP EDGE w/FLUSH PANEL

SCALE: 3" = 1'-0"

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

DMC 150NS - PLYWOOD




DRIP EDGE w/STANDING SEAM PANEL

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

SCALE: 3" = 1'-0"



DMC 150NS - PLYWOOD




EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

DRIP EDGE

SCALE: 3" = 1'-0"



DMC 150NS - PLYWOOD



EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE


EAVE w/FLUSH PANEL

SCALE: 3" = 1'-0"

Drexel Metals
Roofing Systems + Custom Fabrication



DMC 150NS - PLYWOOD





EAVE w/STANDING SEAM PANEL

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

SCALE: 3" = 1'-0"

DMC 150NS - PLYWOOD




GABLE ALTERNATE / CURVED

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

SCALE: 3" = 1'-0"


DMC 150NS - PLYWOOD




EFFECTIVE DATE: 02-15-2013
 SUBJECT TO CHANGE WITHOUT NOTICE

GABLE
 SCALE: 3" = 1'-0"


DMC 150NS - PLYWOOD




- DREXEL APPROVED TUBE SEALANT
- FASTENERS (BY OTHERS)
- DREXEL APPROVED TUBE SEALANT
- REGLET FLASHING
- BOX END OF PANEL
(SEE ZEE CLOSURE OPTIONS DETAIL)
- HEADWALL FLASHING
- D.B. TAPE SEALANT
- #10 - 13 x 1" PHW (5 PER PANEL)
- DREXEL APPROVED TUBE SEALANT
- Z-CLOSURE FLASHING
- 1/8" - #43 POP RIVET (18" o.c.)
- DMC 150NS PANEL
- PLYWOOD SUBSTRATE (1/2" MIN.)
- METSHIELD UNDERLAYMENT



OPTION 1



OPTION 2






EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

HEADWALL

SCALE: 3" = 1'-0"

DMC 150NS - PLYWOOD





EFFECTIVE DATE: 02-15-2013
 SUBJECT TO CHANGE WITHOUT NOTICE

PEAK
 SCALE: 3" = 1'-0"

Drexel Metals
 Roofing Systems + Custom Fabrication



DMC 150NS - PLYWOOD




EFFECTIVE DATE: 02-22-2013
SUBJECT TO CHANGE WITHOUT NOTICE

PIPE FLASHING DETAIL

SCALE: NTS



DMC 150NS - PLYWOOD




EFFECTIVE DATE: 02-15-2013
 SUBJECT TO CHANGE WITHOUT NOTICE



RAKEWALL

SCALE: 3" = 1'-0"

DMC 150NS - PLYWOOD



- DMC 150NS PANEL
- 1/8" - #43 POP RIVET (18" o.c.)
- Z-CLOSURE FLASHING
- RIDGE / HIP FLASHING
- DREXEL APPROVED TUBE SEALANT
- BOX END OF PANEL
(SEE ZEE CLOSURE OPTIONS DETAIL)
- #10 - 13 x 1" PHW (5 PER PANEL)
- D.B. TAPE SEALANT
- METSHIELD UNDERLAYMENT
- PLYWOOD SUBSTRATE (1/2" MIN.)




EFFECTIVE DATE: 02-15-2013
 SUBJECT TO CHANGE WITHOUT NOTICE

RIDGE / HIP

SCALE: 3" = 1'-0"

DMC150NS - PLYWOOD



- DMC 150NS PANEL
- #10 - 13 x 1" PHW (12" o.c.)
- D.B. TAPE SEALANT
- OFFSET CLEAT FLASHING
- FIELD CUT & HEM PANEL 180°
- BOX END OF PANEL
(SEE ZEE CLOSURE OPTIONS DETAIL)
- TRANSITION FLASHING
- #10 - 13 x 1" PHW (5 PER PANEL)
- D.B. TAPE SEALANT
- 1/8" - #43 POP RIVET (18" o.c.)
- Z-CLOSURE
- PLYWOOD SUBSTRATE (1/2" MIN.)
- DMC 150NS PANEL
- METSHIELD UNDERLAYMENT




DREXEL APPROVED TUBE SEALANT
(FIELD APPLIED BETWEEN PANEL RIBS)

ZOOMED IN VIEW

ZOOMED IN VIEW



NTS




NTS

TRANSITION

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

SCALE: 3" = 1'-0"

DMC 150NS - PLYWOOD



- NOTE:
- 1.) LAPS IN VALLEY ARE 12" MIN. DREXEL METALS APPROVED TUBE SEALANT IN ALL LAPS IN VALLEY. TWO ROWS OF SEALANT BETWEEN VALLEY LAPS, 4" UP FROM LAP.
 - 2.) LARGE ROOF AREAS MAY REQUIRE A LARGER GAP BETWEEN PANEL AND DIVERTER TO ALLOW FOR STORM WATER RUN OFF.


VALLEY W / DIVERTER

SCALE: 3" = 1'-0"


EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE

DMC 150NS - PLYWOOD

ZOOMED IN VIEW



NTS



NOTE:

- 1.) LAPS IN VALLEY ARE 12" MIN.
DREXEL METALS APPROVED TUBE SEALANT IN ALL LAPS IN VALLEY. TWO ROWS OF SEALANT BETWEEN VALLEY LAPS, 4" UP FROM LAP.
- 2.) LARGE ROOF AREAS MAY REQUIRE A LARGER GAP BETWEEN PANEL AND DIVERTER TO ALLOW FOR STORM WATER RUN OFF.

VALLEY W/O DIVERTER



SCALE: 3" = 1'-0"

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE


DMC 150NS - PLYWOOD

NOTE:

- 1.) LAPS IN VALLEYWALL ARE 12" MIN. DREXEL METALS APPROVED SEALANT IN ALL LAPS IN VALLEY. TWO ROWS OF SEALANT BETWEEN VALLEYWALL LAPS, 4" UP FROM LAP.
- 2.) LARGE ROOF AREAS MAY REQUIRE A LARGER GAP BETWEEN PANEL AND WALL TO ALLOW FOR STORM WATER RUN OFF.




OPTION 1





OPTION 2

DMC 150NS - PLYWOOD



NOTE:
1.) NET FREE AREA = 6.16 SQ IN/FT



VENTED RIDGE / HIP

SCALE: 3" = 1'-0"

EFFECTIVE DATE: 02-15-2013
SUBJECT TO CHANGE WITHOUT NOTICE